



# 深圳市金俊业电子有限公司

## Shenzhen Jinjunye Electronics Co.,Ltd.

中国·深圳  
Shenzhen China





# About US

深圳市金俊业电子有限公司成立于2005年，是一家专业生产电动工具电池及充电器的厂家。工厂位于广东省深圳市宝安区福永街道凤凰社区腾丰一路4号301和201及2号B栋201。

生产线使用自动点焊机，自动焊锡机，自动打螺丝机，自动分选机，自动检测仪等多种自动化设备，生产的产品优质实惠，成为行业中的佼佼者。现在拥有日产12000个工具电池的产能。产品主要销往美国，德国，英国，法国，澳大利亚，新西兰，日本，俄罗斯等多个国家。我们拥有专业的研发团队，可以为客户提供一站式的电源解决方案;同时定期推出新产品，为客户开拓新的市场提供动力。公司全面贯彻ISO9001质量管理体系，产品通过FCC,CE,PSE,ROHS,UN38.3,MSDS,UL等多项测试认证。公司也为生产的工具电池购买了全球范围内的产品责任险，增强了产品的品质保障及售后服务。

我们坚持品质第一，顾客至上，坦诚相待的经营方针，本着“以质为本，勤劳，超越”的品质政策;我们深信只有坚定的信心，完善的服务才能赢得客户的信任和支持。

金俊业全体同仁将会用“质朴，热情”去缔造我们企业的未来。我们真诚期待着与您携手共进，共同发展。

Shenzhen Jinjunye Electronics Co., Ltd (JJY) is a professional manufacturer specializing in power tool battery packs and chargers since 2005. Our factory is located at the 201 Building B, No.2, and 301&201, No.4, Tengfeng1st Road, Fenghuang Subdistrict, Bao'an District, Shenzhen, China 518103.

Our production line utilizes a range of automated equipment, including automatic spot welders, soldering machines, screw-driving machines, sorting machines, and inspection instruments. This enables us to produce high-quality and cost-effective products, making us a leader in the industry. Currently, we have a production capacity of 12,000 tool batteries per day. Our products are primarily exported to numerous countries, including the United States, Germany, the United Kingdom, France, Australia, New Zealand, Japan, and Russia. We have a dedicated R&D team capable of providing customers with comprehensive power solution services. At the same time, we regularly launch new products to help clients explore and expand into new markets. The company fully implements the ISO9001 Quality Management System, and our products have obtained multiple certifications such as FCC, CE, PSE, ROHS, UN38.3, MSDS, and UL. Additionally, we have purchased worldwide product liability insurance for our tool batteries, further strengthening quality assurance and after-sales support.

We adhere to a business philosophy of "quality first, customer supremacy, and mutual sincerity," guided by our quality policy of "building on quality, diligence, and continuous improvement." We firmly believe that only with steadfast commitment and comprehensive service can we earn the trust and support of our customers.

All colleagues of Jinyunye will forge the future of our enterprise with "simplicity and passion." We sincerely look forward to working hand in hand with you for mutual progress and shared development.



## 极致安全

## ULTIMATE SAFETY

尖端高倍率动力电芯，智能BMS管理系统，实时防护过热、过压、短路等风险。坚固抗冲击外壳与吸震设计，轻松应对严苛环境。通过UN38.3、CE、UL2054、IEC62133等多项国际安全认证，100%严检出厂。

Built with advanced high-rate power cells and an intelligent BMS, providing real-time protection against overheating, overvoltage, and short circuits. The rugged, impact-resistant housing with shock-absorbing design ensures reliable operation in harsh environments. Certified by multiple international safety standards including UN38.3, CE, UL2054, and IEC62133, with 100% inspection before shipment.



## 品质管理

## QUALITY CONTROL



已通过ISO9001质量管理体系认证，建立了从原材料、生产过程到成品的全流程可追溯系统，确保各环节记录完整、过程可控。我们对每件锂电池发货前执行100%老化测试，以实际检验数据验证产品安全与可靠，为客户提供坚实的品质保障。

We have passed ISO 9001 Quality Management System certification and established a fully traceable system covering raw materials, production processes, and finished products, ensuring complete documentation and controlled processes at every stage. Each lithium battery undergoes 100% aging testing before shipment, verifying product safety and reliability through actual inspection data, providing customers with solid quality assurance.



# INDUSTRY CERTIFICATE 行业证书



TRUSTED FOR OUR STANDARDS

**IAF** **ACM**

## 认证证书

兹证明  
**深圳市金俊业电子有限公司**  
 SHENZHEN JINJUNYE ELECTRONICS CO., LTD.  
 深圳市宝安区西乡街道凤凰社区第一路2号C栋2层、D栋2层  
 广东省深圳市宝安区西乡街道凤凰社区第一路2号C栋2层

完成质量管理体系审核并符合以下标准要求  
**ISO 9001:2015**  
**认证范围**  
 充电电池包的生产及销售

证书编号: 18ACM4790Q

发证日期: 2019年04月08日  
 有效期至: 2024年04月07日

发证机构: 深圳金俊业电子有限公司  
 审核员: 王...  
 见证日期: 2022年03月16日-V1

UNAS

TRUSTED FOR OUR STANDARDS

**IAF** **ACM**

## Certificate of Registration

This is to certify that the  
 Quality Management System  
 of  
**SHENZHEN JINJUNYE ELECTRONICS CO., LTD.**  
 符合以下标准要求  
 2F, Building C, No.2 TangFeng Road 1st, Phoenix Community, Fuyong Subdistrict, Bao'an District, Shenzhen  
 2F, Building C, No.2 TangFeng 1st Road, Fenghuang Community Fuyong Subdistrict, Bao'an District, Shenzhen  
 2F, Building C, No.2 TangFeng 1st Road, Fenghuang Community Fuyong Subdistrict, Bao'an District, Shenzhen  
 2F, Building C, No.2 TangFeng 1st Road, Fenghuang Community Fuyong Subdistrict, Bao'an District, Shenzhen

Has been independently assessed and is  
 compliant with the requirements of  
**ISO 9001:2015**

For the following scope of activities:  
**Production and Sales of Rechargeable Battery Pack**

Certificate Number: 18ACM4790Q

Date of initial registration: 08/04/2019  
 Certificate expiry: 07/04/2024  
 (subject to the company maintaining its system to the required standard)

发证机构: 深圳金俊业电子有限公司  
 审核员: 王...  
 见证日期: 2022年03月16日-V1

UNAS

**POCE** Shenzhen POCE Technology Co., Ltd.  
 H Building, Hengxi Science and Technology Park,  
 Tangshan, Shiyao, Bao'an District, Shenzhen, China

### Supplier's Declaration of Conformity

Certificate No.: POC2102230420CE  
 Applicant: Shenzhen Jinjunye Electronics Co., Ltd.  
 Address: 2/F, Building C, No.2 TangFeng Road 1st, Phoenix Community, Fuyong Street, Baoan District, Shenzhen, China  
 Manufacturer: Shenzhen Jinjunye Electronics Co., Ltd.  
 Address: 2/F, Building C, No.2 TangFeng Road 1st, Phoenix Community, Fuyong Street, Baoan District, Shenzhen, China  
 Product: Power Tool Battery  
 Trade Name: N/A  
 Marking: N/A

Test Report No.: POC2102230420CE

Applicable Standard:  
 FCC Part 15 Subpart B, 2016 Radio Frequency Division  
 The EUT has been tested and verified to comply with FCC Part 15 subpart B, Class B (Digital Device) requirements.  
 The EUT has been tested to ensure it is compliant with the applicable FCC Rules and Regulations. The method of testing was as described in the test procedure document distributed to provide that all necessary steps have been followed to ensure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.

FC

For Charles Chen/Charles Yang  
 Date: Feb. 2023

**POCE** Shenzhen POCE Technology Co., Ltd.  
 H Building, Hengxi Science and Technology Park,  
 Tangshan, Shiyao, Bao'an District, Shenzhen, China

### CERTIFICATE OF CONFORMITY

Certificate No.: POC2102230420CE  
 Applicant: Shenzhen Jinjunye Electronics Co., Ltd.  
 Address: 2/F, Building C, No.2 TangFeng Road 1st, Phoenix Community, Fuyong Street, Baoan District, Shenzhen, China  
 Manufacturer: Shenzhen Jinjunye Electronics Co., Ltd.  
 Address: 2/F, Building C, No.2 TangFeng Road 1st, Phoenix Community, Fuyong Street, Baoan District, Shenzhen, China  
 Product: Power Tool Battery  
 Trade Name: N/A  
 Marking: N/A

Test Report No.: POC2102230420CE  
 Test Standards:  
 EN 60950-1:2005+A1:2011+A12:2012  
 EN IEC 60950-1-1:2019  
 EN IEC 60950-1-2:2019  
 EN 60950-1-3:2013+A1:2019

The EUT described above has been tested by us with the listed standards and found in compliance with the current EMC Directive 2014/53/EU. It is possible to use CE marking to demonstrate the compliance with this EMC Directive.

CE

For Charles Chen/Charles Yang  
 Date: Feb. 2023

**POCE** Shenzhen POCE Technology Co., Ltd.  
 H Building, Hengxi Science and Technology Park,  
 Tangshan, Shiyao, Bao'an District, Shenzhen, China

### CERTIFICATE OF CONFORMITY

Certificate No.: POC2102230420CE  
 Applicant: Shenzhen Jinjunye Electronics Co., Ltd.  
 Address: 2/F, Building C, No.2 TangFeng Road 1st, Phoenix Community, Fuyong Street, Baoan District, Shenzhen, China  
 Manufacturer: Shenzhen Jinjunye Electronics Co., Ltd.  
 Address: 2/F, Building C, No.2 TangFeng Road 1st, Phoenix Community, Fuyong Street, Baoan District, Shenzhen, China  
 Product: Power Tool Battery  
 Trade Name: N/A  
 Marking: N/A

Test Report No.: POC2102230420CE  
 Test Standards:  
 IEC 62321-4-1:2014, IEC 62321-4-2:2014, IEC 62321-4-3:2014, IEC 62321-4-4:2014, IEC 62321-4-5:2014, IEC 62321-4-6:2014, IEC 62321-4-7:2014, IEC 62321-4-8:2014, IEC 62321-4-9:2014, IEC 62321-4-10:2014, IEC 62321-4-11:2014, IEC 62321-4-12:2014, IEC 62321-4-13:2014, IEC 62321-4-14:2014, IEC 62321-4-15:2014, IEC 62321-4-16:2014, IEC 62321-4-17:2014, IEC 62321-4-18:2014, IEC 62321-4-19:2014, IEC 62321-4-20:2014, IEC 62321-4-21:2014, IEC 62321-4-22:2014, IEC 62321-4-23:2014, IEC 62321-4-24:2014, IEC 62321-4-25:2014, IEC 62321-4-26:2014, IEC 62321-4-27:2014, IEC 62321-4-28:2014, IEC 62321-4-29:2014, IEC 62321-4-30:2014, IEC 62321-4-31:2014, IEC 62321-4-32:2014, IEC 62321-4-33:2014, IEC 62321-4-34:2014, IEC 62321-4-35:2014, IEC 62321-4-36:2014, IEC 62321-4-37:2014, IEC 62321-4-38:2014, IEC 62321-4-39:2014, IEC 62321-4-40:2014, IEC 62321-4-41:2014, IEC 62321-4-42:2014, IEC 62321-4-43:2014, IEC 62321-4-44:2014, IEC 62321-4-45:2014, IEC 62321-4-46:2014, IEC 62321-4-47:2014, IEC 62321-4-48:2014, IEC 62321-4-49:2014, IEC 62321-4-50:2014, IEC 62321-4-51:2014, IEC 62321-4-52:2014, IEC 62321-4-53:2014, IEC 62321-4-54:2014, IEC 62321-4-55:2014, IEC 62321-4-56:2014, IEC 62321-4-57:2014, IEC 62321-4-58:2014, IEC 62321-4-59:2014, IEC 62321-4-60:2014, IEC 62321-4-61:2014, IEC 62321-4-62:2014, IEC 62321-4-63:2014, IEC 62321-4-64:2014, IEC 62321-4-65:2014, IEC 62321-4-66:2014, IEC 62321-4-67:2014, IEC 62321-4-68:2014, IEC 62321-4-69:2014, IEC 62321-4-70:2014, IEC 62321-4-71:2014, IEC 62321-4-72:2014, IEC 62321-4-73:2014, IEC 62321-4-74:2014, IEC 62321-4-75:2014, IEC 62321-4-76:2014, IEC 62321-4-77:2014, IEC 62321-4-78:2014, IEC 62321-4-79:2014, IEC 62321-4-80:2014, IEC 62321-4-81:2014, IEC 62321-4-82:2014, IEC 62321-4-83:2014, IEC 62321-4-84:2014, IEC 62321-4-85:2014, IEC 62321-4-86:2014, IEC 62321-4-87:2014, IEC 62321-4-88:2014, IEC 62321-4-89:2014, IEC 62321-4-90:2014, IEC 62321-4-91:2014, IEC 62321-4-92:2014, IEC 62321-4-93:2014, IEC 62321-4-94:2014, IEC 62321-4-95:2014, IEC 62321-4-96:2014, IEC 62321-4-97:2014, IEC 62321-4-98:2014, IEC 62321-4-99:2014, IEC 62321-4-100:2014, IEC 62321-4-101:2014, IEC 62321-4-102:2014, IEC 62321-4-103:2014, IEC 62321-4-104:2014, IEC 62321-4-105:2014, IEC 62321-4-106:2014, IEC 62321-4-107:2014, IEC 62321-4-108:2014, IEC 62321-4-109:2014, IEC 62321-4-110:2014, IEC 62321-4-111:2014, IEC 62321-4-112:2014, IEC 62321-4-113:2014, IEC 62321-4-114:2014, IEC 62321-4-115:2014, IEC 62321-4-116:2014, IEC 62321-4-117:2014, IEC 62321-4-118:2014, IEC 62321-4-119:2014, IEC 62321-4-120:2014, IEC 62321-4-121:2014, IEC 62321-4-122:2014, IEC 62321-4-123:2014, IEC 62321-4-124:2014, IEC 62321-4-125:2014, IEC 62321-4-126:2014, IEC 62321-4-127:2014, IEC 62321-4-128:2014, IEC 62321-4-129:2014, IEC 62321-4-130:2014, IEC 62321-4-131:2014, IEC 62321-4-132:2014, IEC 62321-4-133:2014, IEC 62321-4-134:2014, IEC 62321-4-135:2014, IEC 62321-4-136:2014, IEC 62321-4-137:2014, IEC 62321-4-138:2014, IEC 62321-4-139:2014, IEC 62321-4-140:2014, IEC 62321-4-141:2014, IEC 62321-4-142:2014, IEC 62321-4-143:2014, IEC 62321-4-144:2014, IEC 62321-4-145:2014, IEC 62321-4-146:2014, IEC 62321-4-147:2014, IEC 62321-4-148:2014, IEC 62321-4-149:2014, IEC 62321-4-150:2014, IEC 62321-4-151:2014, IEC 62321-4-152:2014, IEC 62321-4-153:2014, IEC 62321-4-154:2014, IEC 62321-4-155:2014, IEC 62321-4-156:2014, IEC 62321-4-157:2014, IEC 62321-4-158:2014, IEC 62321-4-159:2014, IEC 62321-4-160:2014, IEC 62321-4-161:2014, IEC 62321-4-162:2014, IEC 62321-4-163:2014, IEC 62321-4-164:2014, IEC 62321-4-165:2014, IEC 62321-4-166:2014, IEC 62321-4-167:2014, IEC 62321-4-168:2014, IEC 62321-4-169:2014, IEC 62321-4-170:2014, IEC 62321-4-171:2014, IEC 62321-4-172:2014, IEC 62321-4-173:2014, IEC 62321-4-174:2014, IEC 62321-4-175:2014, IEC 62321-4-176:2014, IEC 62321-4-177:2014, IEC 62321-4-178:2014, IEC 62321-4-179:2014, IEC 62321-4-180:2014, IEC 62321-4-181:2014, IEC 62321-4-182:2014, IEC 62321-4-183:2014, IEC 62321-4-184:2014, IEC 62321-4-185:2014, IEC 62321-4-186:2014, IEC 62321-4-187:2014, IEC 62321-4-188:2014, IEC 62321-4-189:2014, IEC 62321-4-190:2014, IEC 62321-4-191:2014, IEC 62321-4-192:2014, IEC 62321-4-193:2014, IEC 62321-4-194:2014, IEC 62321-4-195:2014, IEC 62321-4-196:2014, IEC 62321-4-197:2014, IEC 62321-4-198:2014, IEC 62321-4-199:2014, IEC 62321-4-200:2014, IEC 62321-4-201:2014, IEC 62321-4-202:2014, IEC 62321-4-203:2014, IEC 62321-4-204:2014, IEC 62321-4-205:2014, IEC 62321-4-206:2014, IEC 62321-4-207:2014, IEC 62321-4-208:2014, IEC 62321-4-209:2014, IEC 62321-4-210:2014, IEC 62321-4-211:2014, IEC 62321-4-212:2014, IEC 62321-4-213:2014, IEC 62321-4-214:2014, IEC 62321-4-215:2014, IEC 62321-4-216:2014, IEC 62321-4-217:2014, IEC 62321-4-218:2014, IEC 62321-4-219:2014, IEC 62321-4-220:2014, IEC 62321-4-221:2014, IEC 62321-4-222:2014, IEC 62321-4-223:2014, IEC 62321-4-224:2014, IEC 62321-4-225:2014, IEC 62321-4-226:2014, IEC 62321-4-227:2014, IEC 62321-4-228:2014, IEC 62321-4-229:2014, IEC 62321-4-230:2014, IEC 62321-4-231:2014, IEC 62321-4-232:2014, IEC 62321-4-233:2014, IEC 62321-4-234:2014, IEC 62321-4-235:2014, IEC 62321-4-236:2014, IEC 62321-4-237:2014, IEC 62321-4-238:2014, IEC 62321-4-239:2014, IEC 62321-4-240:2014, IEC 62321-4-241:2014, IEC 62321-4-242:2014, IEC 62321-4-243:2014, IEC 62321-4-244:2014, IEC 62321-4-245:2014, IEC 62321-4-246:2014, IEC 62321-4-247:2014, IEC 62321-4-248:2014, IEC 62321-4-249:2014, IEC 62321-4-250:2014, IEC 62321-4-251:2014, IEC 62321-4-252:2014, IEC 62321-4-253:2014, IEC 62321-4-254:2014, IEC 62321-4-255:2014, IEC 62321-4-256:2014, IEC 62321-4-257:2014, IEC 62321-4-258:2014, IEC 62321-4-259:2014, IEC 62321-4-260:2014, IEC 62321-4-261:2014, IEC 62321-4-262:2014, IEC 62321-4-263:2014, IEC 62321-4-264:2014, IEC 62321-4-265:2014, IEC 62321-4-266:2014, IEC 62321-4-267:2014, IEC 62321-4-268:2014, IEC 62321-4-269:2014, IEC 62321-4-270:2014, IEC 62321-4-271:2014, IEC 62321-4-272:2014, IEC 62321-4-273:2014, IEC 62321-4-274:2014, IEC 62321-4-275:2014, IEC 62321-4-276:2014, IEC 62321-4-277:2014, IEC 62321-4-278:2014, IEC 62321-4-279:2014, IEC 62321-4-280:2014, IEC 62321-4-281:2014, IEC 62321-4-282:2014, IEC 62321-4-283:2014, IEC 62321-4-284:2014, IEC 62321-4-285:2014, IEC 62321-4-286:2014, IEC 62321-4-287:2014, IEC 62321-4-288:2014, IEC 62321-4-289:2014, IEC 62321-4-290:2014, IEC 62321-4-291:2014, IEC 62321-4-292:2014, IEC 62321-4-293:2014, IEC 62321-4-294:2014, IEC 62321-4-295:2014, IEC 62321-4-296:2014, IEC 62321-4-297:2014, IEC 62321-4-298:2014, IEC 62321-4-299:2014, IEC 62321-4-300:2014, IEC 62321-4-301:2014, IEC 62321-4-302:2014, IEC 62321-4-303:2014, IEC 62321-4-304:2014, IEC 62321-4-305:2014, IEC 62321-4-306:2014, IEC 62321-4-307:2014, IEC 62321-4-308:2014, IEC 62321-4-309:2014, IEC 62321-4-310:2014, IEC 62321-4-311:2014, IEC 62321-4-312:2014, IEC 62321-4-313:2014, IEC 62321-4-314:2014, IEC 62321-4-315:2014, IEC 62321-4-316:2014, IEC 62321-4-317:2014, IEC 62321-4-318:2014, IEC 62321-4-319:2014, IEC 62321-4-320:2014, IEC 62321-4-321:2014, IEC 62321-4-322:2014, IEC 62321-4-323:2014, IEC 62321-4-324:2014, IEC 62321-4-325:2014, IEC 62321-4-326:2014, IEC 62321-4-327:2014, IEC 62321-4-328:2014, IEC 62321-4-329:2014, IEC 62321-4-330:2014, IEC 62321-4-331:2014, IEC 62321-4-332:2014, IEC 62321-4-333:2014, IEC 62321-4-334:2014, IEC 62321-4-335:2014, IEC 62321-4-336:2014, IEC 62321-4-337:2014, IEC 62321-4-338:2014, IEC 62321-4-339:2014, IEC 62321-4-340:2014, IEC 62321-4-341:2014, IEC 62321-4-342:2014, IEC 62321-4-343:2014, IEC 62321-4-344:2014, IEC 62321-4-345:2014, IEC 62321-4-346:2014, IEC 62321-4-347:2014, IEC 62321-4-348:2014, IEC 62321-4-349:2014, IEC 62321-4-350:2014, IEC 62321-4-351:2014, IEC 62321-4-352:2014, IEC 62321-4-353:2014, IEC 62321-4-354:2014, IEC 62321-4-355:2014, IEC 62321-4-356:2014, IEC 62321-4-357:2014, IEC 62321-4-358:2014, IEC 62321-4-359:2014, IEC 62321-4-360:2014, IEC 62321-4-361:2014, IEC 62321-4-362:2014, IEC 62321-4-363:2014, IEC 62321-4-364:2014, IEC 62321-4-365:2014, IEC 62321-4-366:2014, IEC 62321-4-367:2014, IEC 62321-4-368:2014, IEC 62321-4-369:2014, IEC 62321-4-370:2014, IEC 62321-4-371:2014, IEC 62321-4-372:2014, IEC 62321-4-373:2014, IEC 62321-4-374:2014, IEC 62321-4-375:2014, IEC 62321-4-376:2014, IEC 62321-4-377:2014, IEC 62321-4-378:2014, IEC 62321-4-379:2014, IEC 62321-4-380:2014, IEC 62321-4-381:2014, IEC 62321-4-382:2014, IEC 62321-4-383:2014, IEC 62321-4-384:2014, IEC 62321-4-385:2014, IEC 62321-4-386:2014, IEC 62321-4-387:2014, IEC 62321-4-388:2014, IEC 62321-4-389:2014, IEC 62321-4-390:2014, IEC 62321-4-391:2014, IEC 62321-4-392:2014, IEC 62321-4-393:2014, IEC 62321-4-394:2014, IEC 62321-4-395:2014, IEC 62321-4-396:2014, IEC 62321-4-397:2014, IEC 62321-4-398:2014, IEC 62321-4-399:2014, IEC 62321-4-400:2014, IEC 62321-4-401:2014, IEC 62321-4-402:2014, IEC 62321-4-403:2014, IEC 62321-4-404:2014, IEC 62321-4-405:2014, IEC 62321-4-406:2014, IEC 62321-4-407:2014, IEC 62321-4-408:2014, IEC 62321-4-409:2014, IEC 62321-4-410:2014, IEC 62321-4-411:2014, IEC 62321-4-412:2014, IEC 62321-4-413:2014, IEC 62321-4-414:2014, IEC 62321-4-415:2014, IEC 62321-4-416:2014, IEC 62321-4-417:2014, IEC 62321-4-418:2014, IEC 62321-4-419:2014, IEC 62321-4-420:2014, IEC 62321-4-421:2014, IEC 62321-4-422:2014, IEC 62321-4-423:2014, IEC 62321-4-424:2014, IEC 62321-4-425:2014, IEC 62321-4-426:2014, IEC 62321-4-427:2014, IEC 62321-4-428:2014, IEC 62321-4-429:2014, IEC 62321-4-430:2014, IEC 62321-4-431:2014, IEC 62321-4-432:2014, IEC 62321-4-433:2014, IEC 62321-4-434:2014, IEC 62321-4-435:2014, IEC 62321-4-436:2014, IEC 62321-4-437:2014, IEC 62321-4-438:2014, IEC 62321-4-439:2014, IEC 62321-4-440:2014, IEC 62321-4-441:2014, IEC 62321-4-442:2014, IEC 62321-4-443:2014, IEC 62321-4-444:2014, IEC 62321-4-445:2014, IEC 62321-4-446:2014, IEC 62321-4-447:2014, IEC 62321-4-448:2014, IEC 62321-4-449:2014, IEC 62321-4-450:2014, IEC 62321-4-451:2014, IEC 62321-4-452:2014, IEC 62321-4-453:2014, IEC 62321-4-454:2014, IEC 62321-4-455:2014, IEC 62321-4-456:2014, IEC 62321-4-457:2014, IEC 62321-4-458:2014, IEC 62321-4-459:2014, IEC 62321-4-460:2014, IEC 62321-4-461:2014, IEC 62321-4-462:2014, IEC 62321-4-463:2014, IEC 62321-4-464:2014, IEC 62321-4-465:2014, IEC 62321-4-466:2014, IEC 62321-4-467:2014, IEC 62321-4-468:2014, IEC 62321-4-469:2014, IEC 62321-4-470:2014, IEC 62321-4-471:2014, IEC 62321-4-472:2014, IEC 62321-4-473:2014, IEC 62321-4-474:2014, IEC 62321-4-475:2014, IEC 62321-4-476:2014, IEC 62321-4-477:2014, IEC 62321-4-478:2014, IEC 62321-4-479:2014, IEC 62321-4-480:2014, IEC 62321-4-481:2014, IEC 62321-4-482:2014, IEC 62321-4-483:2014, IEC 62321-4-484:2014, IEC 62321-4-485:2014, IEC 62321-4-486:2014, IEC 62321-4-487:2014, IEC 62321-4-488:2014, IEC 62321-4-489:2014, IEC 62321-4-490:2014, IEC 62321-4-491:2014, IEC 62321-4-492:2014, IEC 62321-4-493:2014, IEC 62321-4-494:2014, IEC 62321-4-495:2014, IEC 62321-4-496:2014, IEC 62321-4-497:2014, IEC 62321-4-498:2014, IEC 62321-4-499:2014, IEC 62321-4-500:2014, IEC 62321-4-501:2014, IEC 62321-4-502:2014, IEC 62321-4-503:2014, IEC 62321-4-504:2014, IEC 62321-4-505:2014, IEC 62321-4-506:2014, IEC 62321-4-507:2014, IEC 62321-4-508:2014, IEC 62321-4-509:2014, IEC 62321-4-510:2014, IEC 62321-4-511:2014, IEC 62321-4-512:2014, IEC 62321-4-513:2014, IEC 62321-4-514:2014, IEC 62321-4-515:2014, IEC 62321-4-516:2014, IEC 62321-4-517:2014, IEC 62321-4-518:2014, IEC 62321-4-519:2014, IEC 62321-4

# 目录 Contents

- 01 For Makita Battery  
牧田款
- 05 For Bosch Battery  
博世款
- 07 For Dyson Battery  
戴森款
- 08 For EGO Battery  
EGO款
- 10 For Black&Decker Battery  
百得款
- 12 For Hitachi、Hikoki Battery  
日立款、高壹款
- 13 For Interskol Battery  
皇冠款
- 15 For iRobot、Kobalt Battery  
罗伯特款、考伯特款
- 17 For Gardena、Snow Joe Battery  
嘉丁拿款、雪乔款
- 22 Adapter  
转接器
- 03 For Dewalt Battery  
得伟款
- 06 For Milwaukee Battery  
米沃奇款
- 08 For Greenworks Battery  
格力博款
- 09 For Ryobi Battery  
利优比款
- 11 For Porter Cable Battery  
卜派款
- 13 For Worx Battery  
威克士款
- 14 For Craftsman、AEG Battery  
工匠款、里奇款
- 16 For Shark Battery  
鲨客款
- 17 Battery Charger  
充电器
- 25 Customize and R&D  
定制与研发



14.4V  
Li-ion  
Black

### Model 型号: JJY-MAK-BL1415B

Dimensions 尺寸: 98\*73\*49mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 21.6Wh 28.8Wh 36Wh 43.2Wh

Weight 重量: 0.23kg 0.26kg 0.30kg 0.33kg



14.4V  
Li-ion  
Black

### Model 型号: JJY-MAK-BL1430B

Dimensions 尺寸: 91\*71\*67mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 43.2Wh 57.6Wh 72Wh 86.4Wh

Weight 重量: 0.48kg 0.50kg 0.52kg 0.54kg



18V  
Li-ion  
Black

### Model 型号: JJY-MAK-BL1815

Dimensions 尺寸: 116\*75\*51mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 27Wh 36Wh 45Wh 54Wh

Weight 重量: 0.35kg 0.37kg 0.38kg 0.40kg



18V  
Li-ion  
Black  
21700

### Model 型号: JJY-MAK-BL1815 HC

Dimensions 尺寸: 134\*84\*51mm

Capacity 容量: 3.0Ah 4.0Ah

Power 功率: 54Wh 72Wh

Weight 重量: 0.49kg 0.51kg



18V  
Li-ion  
Black  
21700

### Model 型号: JJY-MAK-BL1830B

Dimensions 尺寸: 116\*75\*68mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 54Wh 72Wh 90Wh 108Wh

Weight 重量: 0.60kg 0.61kg 0.62kg 0.65kg



18V  
Li-ion  
Black  
21700

### Model 型号: JJY-MAK-BL1830BHC

Dimensions 尺寸: 134\*84\*75mm

Capacity 容量: 6.0Ah 8.0Ah

Power 功率: 108Wh 144Wh

Weight 重量: 0.87kg 0.90kg



18V  
Li-ion  
Black

### Model 型号: JJY-MAK-BL1845B

Dimensions 尺寸: 116\*75\*87mm

Capacity 容量: 4.5Ah 6.0Ah 7.5Ah 9.0Ah

Power 功率: 84Wh 108Wh 135Wh 162Wh

Weight 重量: 0.78kg 0.80kg 0.82kg 0.85kg



40V  
Li-ion  
Black

### Model 型号: JJY-MAK-BL4025

Dimensions 尺寸: 117\*77\*69mm

Capacity 容量: 2.0Ah 2.5Ah 3.0Ah

Power 功率: 80Wh 100Wh 120Wh

Weight 重量: 0.59kg 0.61kg 0.75kg



40V  
Li-ion  
Black

### Model 型号: JJY-MAK-BL4090

Dimensions 尺寸: 153\*78\*97mm

Capacity 容量: 4.5Ah 6.0Ah 7.5Ah 9.0Ah

Power 功率: 180Wh 240Wh 300Wh 360Wh

Weight 重量: 1.10kg 1.15kg 1.23kg 1.30kg



40V  
Li-ion  
Black  
21700

## Model 型号: JY-MAK-BL4040

Dimensions 尺寸: 133\*82\*75mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah

Power 功率: 120Wh 160Wh 200Wh

Weight 重量: 0.87kg 0.90kg 0.93kg



40V  
Li-ion  
Black

## Model 型号: JY-MAK-BL4050F

Dimensions 尺寸: 152\*78\*97mm

Capacity 容量: 4.0Ah 5.0Ah 6.0Ah

Power 功率: 160Wh 200Wh 240Wh

Weight 重量: 1.22kg 1.25kg 1.28kg



40V  
Li-ion  
Black  
21700

## Model 型号: JY-MAK-BL4080F

Dimensions 尺寸: 152\*83\*115mm

Capacity 容量: 6.0Ah 8.0Ah 10Ah

Power 功率: 240Wh 320Wh 400Wh

Weight 重量: 1.72kg 1.77kg 1.82kg



12V  
Li-ion  
Black

## Model 型号: JY-MAK-BL1021B

Dimensions 尺寸: 86\*64\*41mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 18Wh 24Wh 30Wh 36Wh

Weight 重量: 0.20kg 0.21kg 0.22kg 0.23kg



12V  
Li-ion  
Black

## Model 型号: JY-MAK-BL1041B

Dimensions 尺寸: 86\*64\*60mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 36Wh 48Wh 60Wh 72Wh

Weight 重量: 0.36kg 0.38kg 0.40kg 0.42kg



10.8V  
Li-ion  
Black

## Model 型号: JY-MAK-BL1013

Dimensions 尺寸: 51\*50\*79mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 16.2Wh 21.6Wh 27Wh 32.4Wh

Weight 重量: 0.16kg 0.17kg 0.18kg 0.19kg



18V  
Ni-CD  
Ni-MH  
Red

## Model 型号: JY-MAK-1822

Dimensions 尺寸: 120\*94\*106mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 27Wh 36Wh 45Wh 54Wh

Weight 重量: 0.95kg 0.96kg 0.97kg 0.98kg



14.4V  
Ni-CD  
Ni-MH  
Red

## Model 型号: JY-MAK-1420

Dimensions 尺寸: 95\*95\*104mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 21.6Wh 28.8Wh 36Wh 43.2Wh

Weight 重量: 0.68kg 0.70kg 0.72kg 0.75kg



12V  
Ni-CD  
Ni-MH  
Red

## Model 型号: JY-MAK-1220

Dimensions 尺寸: 86\*94\*104mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 18Wh 24Wh 30Wh 36Wh

Weight 重量: 0.48kg 0.51kg 0.56kg 0.63kg

## For Makita Battery 牧田款



9.6V  
Ni-CD  
Ni-MH  
Red



9.6V  
Ni-CD  
Ni-MH  
Black

### Model 型号: JY-MAK-9120

Dimensions 尺寸: 87\*78\*102mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 14.4Wh 19.2Wh 24Wh 28.8Wh

Weight 重量: 0.41kg 0.44kg 0.47kg 0.50kg

### Model 型号: JY-MAK-9000

Dimensions 尺寸: 49\*31\*181mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 14.4Wh 19.2Wh 24Wh 28.8Wh

Weight 重量: 0.45kg 0.46kg 0.47kg 0.48kg

## For Dewalt Battery 得伟款



10.8V  
12.0V  
Li-ion  
Black



10.8V  
12.0V  
Li-ion  
Black



18.0V  
20.0V  
Li-ion  
Black

### Model 型号: JY-DW-DCB120

Dimensions 尺寸: 94\*64\*45mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 18Wh 24Wh 30Wh 36Wh

Weight 重量: 0.20kg 0.21kg 0.22kg 0.23kg

### Model 型号: JY-DW-DCB120

Dimensions 尺寸: 90\*64\*68mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 36Wh 48Wh 60Wh 72Wh

Weight 重量: 0.29kg 0.33kg 0.37kg 0.41kg

### Model 型号: JY-DW-DCB203

Dimensions 尺寸: 118\*76\*46mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 27Wh 36Wh 45Wh 54Wh

Weight 重量: 0.35kg 0.36kg 0.37kg 0.38kg



18.0V  
20.0V  
Li-ion  
Black  
21700



18.0V  
20.0V  
Li-ion  
Black



18.0V  
20.0V  
Li-ion  
Black

### Model 型号: JY-DW-DCB203 HC

Dimensions 尺寸: 134\*84\*52mm

Capacity 容量: 3.0Ah 4.0Ah

Power 功率: 54Wh 72Wh

Weight 重量: 0.49kg 0.53kg

### Model 型号: JY-DW-DCB204

Dimensions 尺寸: 118\*76\*65mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 54Wh 72Wh 90Wh 108Wh

Weight 重量: 0.60kg 0.61kg 0.62kg 0.64kg

### Model 型号: JY-DW-DCB204H

Dimensions 尺寸: 120\*82\*90mm

Capacity 容量: 4.5Ah 6.0Ah 7.5Ah 9.0Ah

Power 功率: 81Wh 108Wh 135Wh 162Wh

Weight 重量: 0.82kg 0.95kg 1.07kg 1.20kg



18.0V  
20.0V  
Li-ion  
Black  
21700



20V/60V  
18V/54V  
Li-ion  
Black



20V/60V  
18V/54V  
Li-ion  
Black  
21700

## Model 型号: JJY-DW-DCB204 HC

Dimensions 尺寸: 134\*84\*76mm

Capacity 容量: 6.0Ah 8.0Ah

Power 功率: 108Wh 144Wh

Weight 重量: 0.87kg 1.16kg

## Model 型号: JJY-DW-DCB606

Dimensions 尺寸: 122\*82\*90mm

Capacity 容量: 4.5Ah/1.5Ah 6.0Ah/2.0Ah 7.5Ah/2.5Ah 9.0Ah/3.0Ah

Power 功率: 81Wh 108Wh 135Wh 162Wh

Weight 重量: 0.95kg 0.99kg 1.05kg 1.10kg

## Model 型号: JJY-DW-DCB606 HC

Dimensions 尺寸: 141\*86\*98mm

Capacity 容量: 9.0Ah/3.0Ah 12.0Ah/4.0Ah

Power 功率: 162Wh 216Wh

Weight 重量: 1.38kg 1.82kg



18V  
Ni-CD  
Ni-MH  
Black



14.4V  
Ni-CD  
Ni-MH  
Black



12V  
Ni-CD  
Ni-MH  
Black

## Model 型号: JJY-DW-DC9096

Dimensions 尺寸: 135\*86\*112mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 27Wh 36Wh 45Wh 54Wh

Weight 重量: 0.80kg 0.85kg 0.90kg 1.00kg

## Model 型号: JJY-DW-DC9091

Dimensions 尺寸: 123\*82\*112mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 21.6Wh 28.8Wh 36Wh 43.2Wh

Weight 重量: 0.65kg 0.70kg 0.78kg 0.85kg

## Model 型号: JJY-DW-DC9071

Dimensions 尺寸: 93\*81\*112mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 18Wh 24Wh 30Wh 36Wh

Weight 重量: 0.54kg 0.55kg 0.56kg 0.57kg



9.6V  
Ni-CD  
Ni-MH  
Black



14.4V  
Ni-CD  
Ni-MH  
Black



12V  
Ni-CD  
Ni-MH  
Black

## Model 型号: JJY-DW-DC9062

Dimensions 尺寸: 79\*82\*102mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 14.4Wh 19.2Wh 24Wh 28.8Wh

Weight 重量: 0.51kg 0.53kg 0.55kg 0.57kg

## Model 型号: JJY-BD-PS140

Dimensions 尺寸: 123\*82\*112mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 21.6Wh 28.8Wh 36Wh 43.2Wh

Weight 重量: 0.65kg 0.70kg 0.75kg 0.85kg

## Model 型号: JJY-BD-PS130

Dimensions 尺寸: 93\*81\*112mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 18Wh 24Wh 30Wh 36Wh

Weight 重量: 0.62kg 0.64kg 0.68kg 0.70kg



**10.8V**  
**Li-ion**  
**Black**

**Model 型号: JY-BOS-BAT411**

Dimensions 尺寸: 51\*48\*85mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 16.2Wh 21.6Wh 27Wh 32.4Wh

Weight 重量: 0.18kg 0.19kg 0.20kg 0.21kg



**10.8V**  
**Li-ion**  
**Black**

**Model 型号: JY-BOS-B812-02**

Dimensions 尺寸: 51\*48\*85mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 16.2Wh 21.6Wh 27Wh 32.4Wh

Weight 重量: 0.18kg 0.19kg 0.20kg 0.21kg



**14.4V**  
**Li-ion**  
**Black**

**Model 型号: JY-BOS-BAT614**

Dimensions 尺寸: 95\*74\*61mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 43.2Wh 57.6Wh 72Wh 86.4Wh

Weight 重量: 0.50kg 0.52kg 0.54kg 0.56kg



**18V**  
**Li-ion**  
**Black**

**Model 型号: JY-BOS-BAT610G**

Dimensions 尺寸: 113\*78\*62mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 54Wh 72Wh 90Wh 108Wh

Weight 重量: 0.60kg 0.61kg 0.62kg 0.64kg



**18V**  
**Ni-CD**  
**Ni-MH**  
**Red**

**Model 型号: JY-BOS-BAT025**

Dimensions 尺寸: 132\*86\*112mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 27Wh 36Wh 45Wh 54Wh

Weight 重量: 0.80kg 0.90kg 0.96kg 1.02kg



**14.4V**  
**Ni-CD**  
**Ni-MH**  
**Red**

**Model 型号: JY-BOS-BAT140**

Dimensions 尺寸: 106\*86\*112mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 21.6Wh 28.8Wh 36Wh 43.2Wh

Weight 重量: 0.65kg 0.70kg 0.78kg 0.85kg



**12V**  
**Ni-CD**  
**Ni-MH**  
**Black**  
**Red**

**Model 型号: JY-BOS-BAT043**

Dimensions 尺寸: 106\*86\*112mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 18Wh 24Wh 30Wh 36Wh

Weight 重量: 0.55kg 0.56kg 0.57kg 0.58kg



**9.6V**  
**Ni-CD**  
**Ni-MH**  
**Black**  
**Red**

**Model 型号: JY-BOS-BAT048**

Dimensions 尺寸: 80\*82\*110mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 18Wh 24Wh 30Wh 36Wh

Weight 重量: 0.52kg 0.54kg 0.56kg 0.58kg



**12V**  
**Ni-CD**  
**Ni-MH**  
**Black**

**Model 型号: JY-BOS-BAT011**

Dimensions 尺寸: 109\*53\*114mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 18Wh 24Wh 30Wh 36Wh

Weight 重量: 0.53kg 0.56kg 0.60kg 0.62kg



12V  
Li-ion  
Blcak  
Red



12V  
Li-ion  
Blcak  
Red



12V  
Li-ion  
Blcak  
Red

## Model 型号: JY-MIL-48-11-2401

Dimensions 尺寸: 51\*45\*85mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 18Wh 24Wh 30Wh 36Wh

Weight 重量: 0.20kg 0.21kg 0.22kg 0.23kg

## Model 型号: JY-MIL-48-11-2460

Dimensions 尺寸: 87\*64\*111mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 36Wh 48Wh 60Wh 72Wh

Weight 重量: 0.37kg 0.38kg 0.39kg 0.40kg

## Model 型号: JY-MIL-48-11-2490

Dimensions 尺寸: 87\*64\*127mm

Capacity 容量: 4.5Ah 6.0Ah 7.5Ah 9.0Ah

Power 功率: 54Wh 72Wh 90Wh 108Wh

Weight 重量: 0.58kg 0.61kg 0.63kg 0.65kg



18V  
Li-ion  
Blcak



18V  
Li-ion  
Blcak

21700



18V  
Li-ion  
Blcak

## Model 型号: JY-MIL-48-11-1815

Dimensions 尺寸: 118\*78\*54mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 27Wh 36Wh 45Wh 54Wh

Weight 重量: 0.40kg 0.40kg 0.41kg 0.42kg

## Model 型号: JY-MIL-48-11-1815HC

Dimensions 尺寸: 135\*85\*56mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 54Wh 72Wh 90Wh 108Wh

Weight 重量: 0.60kg 0.61kg 0.62kg 0.65kg

## Model 型号: JY-MIL-48-11-1850

Dimensions 尺寸: 118\*78\*75mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 54Wh 72Wh 90Wh 108Wh

Weight 重量: 0.64kg 0.64kg 0.65kg 0.66kg



18V  
Li-ion  
Blcak

21700



18V  
Li-ion  
Blcak

21700



18V  
Li-ion  
Blcak

## Model 型号: JY-MIL-48-11-1850 HC

Dimensions 尺寸: 135\*85\*81mm

Capacity 容量: 6.0Ah 8.0Ah

Power 功率: 108Wh 144Wh

Weight 重量: 0.87kg 0.92kg

## Model 型号: JY-MIL-48-11-1890 HC

Dimensions 尺寸: 135\*85\*81mm

Capacity 容量: 9.0Ah 12.0Ah 15.0Ah

Power 功率: 162Wh 216Wh 270Wh

Weight 重量: 1.31kg 1.36kg 1.41kg

## Model 型号: JY-MIL-48-11-1890

Dimensions 尺寸: 134\*80\*90mm

Capacity 容量: 4.5Ah 6.0Ah 7.5Ah 9.0Ah

Power 功率: 81Wh 108Wh 135Wh 162Wh

Weight 重量: 0.95kg 0.98kg 1.02kg 1.05kg



22.2V  
Li-ion  
Gray

**Model 型号: JJY-DYS-V2 (DC31)**

Dimensions 尺寸: 120\*75\*67mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 33.3Wh 44.4Wh 55.5Wh 66.6Wh

Weight 重量: 0.41kg 0.42kg 0.43kg 0.44kg



22.2V  
Li-ion  
Gray

**Model 型号: JJY-DYS-V2 B (DC34)**

Dimensions 尺寸: 121\*75\*87mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 33.3Wh 44.4Wh 55.5Wh 66.6Wh

Weight 重量: 0.45kg 0.46kg 0.47kg 0.48kg



21.6V  
Li-ion  
Gray

**Model 型号: JJY-DYS-V6 (DC62)**

Dimensions 尺寸: 125\*76\*90mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 32.4Wh 43.2Wh 54Wh 64.8Wh

Weight 重量: 0.40kg 0.41kg 0.42kg 0.43kg



21.6V  
Li-ion  
Gray

**Model 型号: JJY-DYS-V7**

Dimensions 尺寸: 131\*81\*122mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 32.4Wh 43.2Wh 54Wh 64.8Wh

Weight 重量: 0.42kg 0.43kg 0.44kg 0.45kg



21.6V  
Li-ion  
Gray

**Model 型号: JJY-DYS-V8**

Dimensions 尺寸: 146\*81\*120mm

Capacity 容量: 3.0Ah 4.0Ah

Power 功率: 64.8Wh 86.4Wh

Weight 重量: 0.57kg 0.59kg



25.2V  
Li-ion  
Gray

**Model 型号: JJY-DYS-V10**

Dimensions 尺寸: 165\*76\*97mm

Capacity 容量: 2.0Ah 2.5Ah

Power 功率: 50.4Wh 63Wh

Weight 重量: 0.50kg 0.52kg



18V  
Li-ion  
Gray

**Model 型号: JJY-DYS-SV18**

Dimensions 尺寸: 133\*76\*77mm

Capacity 容量: 2.5Ah

Power 功率: 45Wh

Weight 重量: 0.36kg



25.2V  
Li-ion  
Gray

**Model 型号: JJY-DYS-V11**

Dimensions 尺寸: 182\*85\*105mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah

Power 功率: 75.6Wh 100.8Wh 126Wh

Weight 重量: 0.66kg 0.68kg 0.70kg



25.2V  
Li-ion  
Gray

**Model 型号: JJY-DYS-V11**

Dimensions 尺寸: 182\*85\*105mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah

Power 功率: 75.6Wh 100.8Wh 126Wh

Weight 重量: 0.66kg 0.68kg 0.70kg

## For Dyson Battery 戴森款



25.2V

Li-ion

Gray

### Model 型号: JJY-DYS-V12

Dimensions 尺寸: 165\*76\*97mm

Capacity 容量: 3.0Ah

Power 功率: 75.6Wh

Weight 重量: 0.5kg

## For Greenworks Battery 格力博款



24V

Li-ion

Black

### Model 型号: JJY-GW-29842

Dimensions 尺寸: 130\*76\*45mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 36Wh 48Wh 60Wh 72Wh

Weight 重量: 0.28kg 0.30kg 0.33kg 0.36kg



24V

Li-ion

Black

### Model 型号: JJY-GW-29852

Dimensions 尺寸: 132\*76\*65mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 72Wh 96Wh 120Wh 144Wh

Weight 重量: 0.78kg 0.80kg 0.83kg 0.86kg



40V

Li-ion

Green

### Model 型号: JJY-GW-29472

Dimensions 尺寸: 169\*85\*90mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 120Wh 160Wh 200Wh 240Wh

Weight 重量: 1.22kg 1.28kg 1.32kg 1.36kg



40V

Li-ion

Black

### Model 型号: JJY-GW-29472

Dimensions 尺寸: 164\*84\*87mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 120Wh 160Wh 200Wh 240Wh

Weight 重量: 1.14kg 1.18kg 1.21kg 1.25kg



80V

Li-ion

Black

### Model 型号: JJY-GW-GBA80200

Dimensions 尺寸: 170\*85\*120mm

Capacity 容量: 2.0Ah 2.5Ah

Power 功率: 160Wh 200Wh

Weight 重量: 1.41kg 1.46kg

## For EGO Battery EGO款



56V

Li-ion

Green

### Model 型号: JJY-EGO-EG5625

Dimensions 尺寸: 184\*134\*71mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 84Wh 112Wh 140Wh 168Wh

Weight 重量: 1.02kg 1.08kg 1.12kg 1.16kg



56V

Li-ion

Green

### Model 型号: JJY-EGO-EG5650

Dimensions 尺寸: 192\*156\*90mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 168Wh 224Wh 280Wh 336Wh

Weight 重量: 1.82kg 1.88kg 1.91kg 1.95kg



56V

Li-ion

Black

### Model 型号: JJY-EGO-EG5675

Dimensions 尺寸: 195\*160\*105mm

Capacity 容量: 6.0Ah 7.5Ah 9.0Ah

Power 功率: 336Wh 420Wh 504Wh

Weight 重量: 2.75kg 2.85kg 2.95kg

# For Ryobi Battery 利优比款



**18V**  
**Li-ion**  
**Black**

## Model 型号: JJY-ROB-P103

Dimensions 尺寸: 135\*82\*87mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 27Wh 36Wh 45Wh 54Wh

Weight 重量: 0.45kg 0.46kg 0.47kg 0.48kg



**18V**  
**Li-ion**  
**Black**

## Model 型号: JJY-ROB-P108

Dimensions 尺寸: 136\*81\*106mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 54Wh 72Wh 90Wh 108Wh

Weight 重量: 0.65kg 0.66kg 0.67kg 0.68kg



**40V**  
**Li-ion**  
**Black**

## Model 型号: JJY-ROB-OP4040

Dimensions 尺寸: 165\*100\*78mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 120Wh 160Wh 200Wh 240Wh

Weight 重量: 1.20kg 1.24kg 1.28kg 1.32kg



**40V**  
**Li-ion**  
**Black**

**21700**



**18V**  
**Ni-CD**  
**Ni-MH**  
**Black**  
**Yellow**

## Model 型号: JJY-ROB-ABP1801

Dimensions 尺寸: 136\*78\*108mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 27Wh 36Wh 45Wh 54Wh

Weight 重量: 0.78kg 0.80kg 0.85kg 0.90kg



**14.4V**  
**Ni-CD**  
**Ni-MH**  
**Black**  
**Yellow**

## Model 型号: JJY-ROB-130224010

Dimensions 尺寸: 112\*78\*105mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 21.6Wh 28.8Wh 36Wh 43.2Wh

Weight 重量: 0.65kg 0.66kg 0.68kg 0.70kg



**12V**  
**Ni-CD**  
**Ni-MH**  
**Black**  
**Yellow**

## Model 型号: JJY-ROB-1400652

Dimensions 尺寸: 91\*78\*105mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 18Wh 24Wh 30Wh 36Wh

Weight 重量: 0.55kg 0.56kg 0.57kg 0.58kg



20V  
Li-ion  
Black  
White



20V  
Li-ion  
Black  
21700



20V  
Li-ion  
Black  
White

### Model 型号: JJY-BD-LBXR20

Dimensions 尺寸: 120\*77\*51mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 30Wh 40Wh 50Wh 60Wh

Weight 重量: 0.34kg 0.35kg 0.36kg 0.38kg

### Model 型号: JJY-BD-LBXR20 HC

Dimensions 尺寸: 133\*82\*43mm

Capacity 容量: 3.0Ah 4.0Ah

Power 功率: 60Wh 80Wh

Weight 重量: 0.49kg 0.53kg

### Model 型号: JJY-BD-LB2X4020

Dimensions 尺寸: 120\*77\*71mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 60Wh 80Wh 100Wh 120Wh

Weight 重量: 0.62kg 0.63kg 0.64kg 0.66kg



20V  
Li-ion  
Black  
21700



20V  
Li-ion  
Black



20V  
Li-ion  
Black

### Model 型号: JJY-BD-LB2X4020 HC

Dimensions 尺寸: 133\*82\*70mm

Capacity 容量: 6.0Ah 8.0Ah

Power 功率: 120Wh 160Wh

Weight 重量: 0.87kg 0.92kg

### Model 型号: JJY-BD-LBXR20 M

Dimensions 尺寸: 113\*75\*48mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 30Wh 40Wh 50Wh 60Wh

Weight 重量: 0.35kg 0.38kg 0.41kg 0.43kg

### Model 型号: JJY-BD-LB2X4020 M

Dimensions 尺寸: 113\*75\*68mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 60Wh 80Wh 100Wh 120Wh

Weight 重量: 0.60kg 0.62kg 0.65kg 0.68kg



40V  
Li-ion  
Black



18V  
Ni-CD  
Ni-MH  
Black



14.4V  
Ni-CD  
Ni-MH  
Black

### Model 型号: JJY-BD-LBXR36

Dimensions 尺寸: 128\*80\*76mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 60Wh 80Wh 100Wh 120Wh

Weight 重量: 0.68kg 0.70kg 0.72kg 0.74kg

### Model 型号: JJY-BD-HPB18

Dimensions 尺寸: 146\*79\*72mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 27Wh 36Wh 45Wh 54Wh

Weight 重量: 0.85kg 0.90kg 0.95kg 1.00kg

### Model 型号: JJY-BD-HPB14

Dimensions 尺寸: 124\*78\*72mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 21.6Wh 28.8Wh 36Wh 43.2Wh

Weight 重量: 0.71kg 0.72kg 0.73kg 0.75kg

## For Black Decker Battery 百得款



**12V**  
Ni-CD  
Ni-MH  
Black

### Model 型号: JY-BD-HPB12

Dimensions 尺寸: 105\*80\*72mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 18Wh 24Wh 30Wh 36Wh

Weight 重量: 0.52kg 0.53kg 0.54kg 0.55kg

## For Einhell Battery 安海款



**18V**  
Li-ion  
Black

### Model 型号: JY-PXC1815

Dimensions 尺寸: 119\*77\*48mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 27Wh 36Wh 45Wh 54Wh

Weight 重量: 0.35kg 0.37kg 0.39kg 0.41kg



**18V**  
Li-ion  
Black

### Model 型号: JY-PXC1830

Dimensions 尺寸: 119\*77\*68mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 54Wh 72Wh 90Wh 108Wh

Weight 重量: 0.60kg 0.63kg 0.65kg 0.68kg

## For Porter Cable Battery 卜派款



**20V**  
Li-ion  
Black  
Red

### Model 型号: JY-PTC-PCC680L

Dimensions 尺寸: 120\*78\*53mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 30Wh 40Wh 50Wh 60Wh

Weight 重量: 0.36kg 0.37kg 0.38kg 0.40kg



**20V**  
Li-ion  
Black  
Red

### Model 型号: JY-PTC-PCC685L

Dimensions 尺寸: 120\*78\*73mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 60Wh 80Wh 100Wh 120Wh

Weight 重量: 0.62kg 0.64kg 0.65kg 0.67kg



**18V**  
Li-ion  
Black  
Red

### Model 型号: JY-PTC-PC18BLX

Dimensions 尺寸: 121\*78\*57mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 27Wh 36Wh 45Wh 54Wh

Weight 重量: 0.39kg 0.40kg 0.41kg 0.42kg



**18V**  
Li-ion  
Black  
Red

### Model 型号: JY-PTC-PC18BLEX

Dimensions 尺寸: 121\*78\*77mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 54Wh 72Wh 90Wh 108Wh

Weight 重量: 0.64kg 0.65kg 0.66kg 0.68kg



**18V**  
Ni-CD  
Ni-MH  
Black

### Model 型号: JY-PTC-PC18B

Dimensions 尺寸: 146\*85\*75mm

Capacity 容量: 1.3Ah 1.5Ah 2.0Ah

Power 功率: 23.4Wh 27Wh 36Wh

Weight 重量: 0.80kg 0.87kg 0.90kg

# For Hitachi Battery 日立款



**18V**  
**Li-ion**  
**Black**

## Model 型号: JJY-HIT-PVB1825A

Dimensions 尺寸: 80\*75\*65mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 27Wh 36Wh 45Wh 54Wh

Weight 重量: 0.30kg 0.33kg 0.35kg 0.38kg



**14.4V**  
**Li-ion**  
**Black**

## Model 型号: JJY-HIT-BSL1430

Dimensions 尺寸: 97\*74\*67mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 43.2Wh 57.6Wh 72Wh 86.4Wh

Weight 重量: 0.50kg 0.52kg 0.53kg 0.55kg



**18V**  
**Li-ion**  
**Black**

## Model 型号: JJY-HIT-BSL1830

Dimensions 尺寸: 117\*79\*69mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 54Wh 72Wh 90Wh 108Wh

Weight 重量: 0.58kg 0.59kg 0.60kg 0.62kg



**14.4V**  
**Li-ion**  
**Black**

## Model 型号: JJY-HIT-EBL1430

Dimensions 尺寸: 100\*75\*106mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 43.2Wh 57.6Wh 72Wh 86.4Wh

Weight 重量: 0.50kg 0.52kg 0.53kg 0.55kg



**18V**  
**Li-ion**  
**Black**

## Model 型号: JJY-HIT-EBM1830

Dimensions 尺寸: 124\*80\*112mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 54Wh 72Wh 90Wh 108Wh

Weight 重量: 0.63kg 0.65kg 0.66kg 0.68kg



**12V**  
**Ni-CD**  
**Ni-MH**  
**Black**

## Model 型号: JJY-HIT-EB1220BL

Dimensions 尺寸: 101\*74\*98mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 18Wh 24Wh 30Wh 36Wh

Weight 重量: 0.55kg 0.57kg 0.59kg 0.61kg

## For Hikoki Battery 高壹款



**14.4V**  
**Ni-CD**  
**Ni-MH**  
**Black**

## Model 型号: JJY-HIT-EB1414S

Dimensions 尺寸: 106\*76\*100mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 21.6Wh 28.8Wh 36Wh 43.2Wh

Weight 重量: 0.65kg 0.67kg 0.69kg 0.72kg



**18/36V**  
**Li-ion**  
**Black**

## Model 型号: JJY-BSL36A18

Dimensions 尺寸: 117\*82\*70mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 54Wh 72Wh 90Wh 108Wh

Weight 重量: 0.60kg 0.63kg 0.67kg 0.70kg

## For Husqvarna 富世华款



**58V**  
**Li-ion**  
**Black**

## Model 型号: JJY-HUA-CBP58V50

Dimensions 尺寸: 185\*111\*109mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 174Wh 232Wh 290Wh 348Wh

Weight 重量: 1.72kg 1.77kg 1.82kg 1.88kg

## For Worx Battery 威克士款



20V  
Li-ion  
Black

### Model 型号: JJY-WOR-WA3525

Dimensions 尺寸: 122\*86\*44mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 30Wh 40Wh 50Wh 60Wh

Weight 重量: 0.31kg 0.34kg 0.37kg 0.40kg



20V  
Li-ion  
Black

### Model 型号: JJY-WOR-WA3557

Dimensions 尺寸: 122\*86\*64mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 60Wh 80Wh 100Wh 120Wh

Weight 重量: 0.55kg 0.58kg 0.61kg 0.65kg



20V  
Li-ion  
Black

### Model 型号: JJY-WOR-WA3560

Dimensions 尺寸: 122\*86\*64mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 60Wh 80Wh 100Wh 120Wh

Weight 重量: 0.55kg 0.58kg 0.61kg 0.65kg

## For Hoover Battery 胡佛款



20V  
Li-ion  
Black

### Model 型号: JJY-WOR-WA3551

Dimensions 尺寸: 112\*75\*63mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 60Wh 80Wh 100Wh 120Wh

Weight 重量: 0.58kg 0.61kg 0.65kg 0.68kg



18V  
Li-ion  
Black

### Model 型号: JJY-BH50000

Dimensions 尺寸: 132\*84\*31mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 27Wh 36Wh 45Wh 54Wh

Weight 重量: 0.38kg 0.39kg 0.40kg 0.41kg



20V  
Li-ion  
Black

### Model 型号: JJY-BH15030

Dimensions 尺寸: 130\*84\*55mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 30Wh 40Wh 50Wh 60Wh

Weight 重量: 0.45kg 0.46kg 0.47kg 0.48kg

## For Interskol Battery 皇冠款



12V  
Ni-CD  
Ni-MH  
Black

### Model 型号: JJY-DA-12ER

Dimensions 尺寸: 103\*82\*48mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 18Wh 24Wh 30Wh 36Wh

Weight 重量: 0.55kg 0.57kg 0.59kg 0.61kg



14.4V  
Ni-CD  
Ni-MH  
Black

### Model 型号: JJY-DA-14.4ER

Dimensions 尺寸: 108\*81\*109mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 21.6Wh 28.8Wh 36Wh 43.2Wh

Weight 重量: 0.71kg 0.72kg 0.76kg 0.80kg



18V  
Ni-CD  
Ni-MH  
Black

### Model 型号: JJY-DA-18ER

Dimensions 尺寸: 128\*81\*109mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 12Wh 36Wh 45Wh 54Wh

Weight 重量: 0.92kg 1.00kg 1.05kg 1.10kg

## For Craftsman Battery 工匠款



20V  
Li-ion  
Black  
Red



20V  
Li-ion  
Black  
Red



20V  
Li-ion  
Black  
Red

### Model 型号: JJY-CRA-CMCB202

Dimensions 尺寸: 126\*77\*57mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 30Wh 40Wh 50Wh 60Wh

Weight 重量: 0.35kg 0.37kg 0.39kg 0.41kg

### Model 型号: JJY-CRA-CMCB204

Dimensions 尺寸: 128\*77\*72mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 60Wh 80Wh 100Wh 120Wh

Weight 重量: 0.63kg 0.66kg 0.69kg 0.72kg

### Model 型号: JJY-CRA-CMCB209

Dimensions 尺寸: 120\*78\*94mm

Capacity 容量: 4.5Ah 6.0Ah 7.5Ah 9.0Ah

Power 功率: 90Wh 120Wh 150Wh 180Wh

Weight 重量: 0.92kg 0.94kg 0.96kg 0.99kg



19.2V  
Li-ion  
Black  
Red



19.2V  
Ni-CD  
Ni-MH  
Black

### Model 型号: JJY-CRA-13021104

Dimensions 尺寸: 138\*83\*114mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 57.6Wh 76.8Wh 96Wh 115.2Wh

Weight 重量: 1.0kg 1.02kg 1.04kg 1.06kg

### Model 型号: JJY-CRA-130279005

Dimensions 尺寸: 138\*85\*114mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 21.6Wh 28.8Wh 36Wh 43.2Wh

Weight 重量: 0.80kg 0.83kg 0.85kg 1.02kg

## For AEG Battery 里奇款



12V  
Li-ion  
Black



12V  
Li-ion  
Black



18V  
Li-ion  
Black

### Model 型号: JJY-AEG-L1215

Dimensions 尺寸: 53\*48\*86mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 30Wh 40Wh 50Wh 60Wh

Weight 重量: 0.19kg 0.21kg 0.23kg 0.25kg

### Model 型号: JJY-AEG-R82059

Dimensions 尺寸: 88\*65\*108mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 60Wh 80Wh 100Wh 120Wh

Weight 重量: 0.39kg 0.41kg 0.43kg 0.45kg

### Model 型号: JJY-AEG-R840083

Dimensions 尺寸: 131\*88\*63mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 54Wh 72Wh 90Wh 108Wh

Weight 重量: 0.70kg 0.72kg 0.74kg 0.76kg

## For iRobot Battery 罗伯特款



14.4V  
Ni-CD  
Ni-MH  
Yellow



14.4V  
Ni-CD  
Ni-MH  
Yellow



14.4V  
Li-ion  
Green

### Model 型号: JJY-JJY-IRT-400

Dimensions 尺寸: 180\*50\*50mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 21.6Wh 28.8Wh 36Wh 43.2Wh

Weight 重量: 0.72kg 0.74kg 0.76kg 0.78kg

### Model 型号: JJY-IRT-500

Dimensions 尺寸: 131\*42\*42mm

Capacity 容量: 2.0Ah 2.5Ah 3.0Ah 3.5Ah

Power 功率: 28.8Wh 36Wh 43.2Wh 50.4Wh

Weight 重量: 0.60kg 0.62kg 0.64kg 0.66kg

### Model 型号: JJY-IRT-I7

Dimensions 尺寸: 74\*51\*52mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah

Power 功率: 21.6Wh 28.8Wh 36Wh

Weight 重量: 0.24kg 0.26kg 0.28kg

## For Sharp Battery 夏普款



14.4V  
Li-ion  
Green



18V  
Li-ion  
Black



14.4V  
Li-ion  
Red

### Model 型号: JJY-IRT-IR59

Dimensions 尺寸: 139\*48\*53mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah

Power 功率: 43.2Wh 57.6Wh 72Wh

Weight 重量: 0.42kg 0.44kg 0.46kg

### Model 型号: JJY-SHA-BY5B

Dimensions 尺寸: 113\*80\*34mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah

Power 功率: 27Wh 36Wh 45Wh

Weight 重量: 0.34kg 0.36kg 0.38kg

### Model 型号: JJY-BRR-2P4S

Dimensions 尺寸: 134\*42\*39mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 43.2Wh 57.6Wh 72Wh 86.4Wh

Weight 重量: 0.38kg 0.39kg 0.40kg 0.41kg

## For Kobalt Battery 考伯特款



24V  
Li-ion  
Blue



24V  
Li-ion  
Blue



40V  
Li-ion  
Black

### Model 型号: JJY-KOB-KB124-03

Dimensions 尺寸: 130\*96\*65mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 36Wh 48Wh 60Wh 72Wh

Weight 重量: 0.45kg 0.48kg 0.51kg 0.54kg

### Model 型号: JJY-KOB-KB624-03

Dimensions 尺寸: 130\*96\*96mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 72Wh 96Wh 120Wh 144Wh

Weight 重量: 0.73kg 0.76kg 0.79kg 0.82kg

### Model 型号: JJY-KOB-KB25404

Dimensions 尺寸: 186\*119\*59mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 120Wh 160Wh 200Wh 240Wh

Weight 重量: 1.10kg 1.15kg 1.20kg 1.25kg

## For Shark Battery 鲨客款



25.2V  
Li-ion  
Black

### Model 型号: JY-XBAT200

Dimensions 尺寸: 168\*90\*45mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 37.8Wh 50.4Wh 63Wh 75.6Wh

Weight 重量: 0.51kg 0.52kg 0.53kg 0.54kg



21.6V  
Li-ion  
Black

### Model 型号: JY-XSBT620

Dimensions 尺寸: 170\*115\*34mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 32.4Wh 43.2Wh 54Wh 64.8Wh

Weight 重量: 0.44kg 0.46kg 0.48kg 0.52kg



25.2V  
Li-ion  
Black

### Model 型号: JY-XSBT750

Dimensions 尺寸: 170\*115\*34mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 37.8Wh 50.4Wh 63Wh 75.6Wh

Weight 重量: 0.48kg 0.50kg 0.52kg 0.56kg

## For LG Battery LG款



21.6V  
Li-ion  
Black

### Model 型号: JY-SHK-XBATR620SL

Dimensions 尺寸: 168\*78\*51mm

Capacity 容量: 2.0Ah 2.5Ah 3.0Ah

Power 功率: 43.2Wh 54Wh 64.8Wh

Weight 重量: 0.42kg 0.44kg 0.46kg



21.6V  
Li-ion  
Yellow

### Model 型号: JY-SHK-XFBT620

Dimensions 尺寸: 166\*90\*45mm

Capacity 容量: 2.0Ah 2.5Ah

Power 功率: 43.2Wh 54Wh

Weight 重量: 0.45kg 0.48kg



25.5V  
Li-ion  
Yellow

### Model 型号: JY-LG-EAC63382201

Dimensions 尺寸: 135\*126\*105mm

Capacity 容量: 2.0Ah 2.5Ah 3.0Ah

Power 功率: 51Wh 63.75Wh 76.5Wh

Weight 重量: 0.86kg 0.89kg 0.92kg

## For ECOVACS Battery 科沃斯款



14.4V  
Li-ion  
Green

### Model 型号: JY-ECAS-N79

Dimensions 尺寸: 35\*35\*67mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah

Power 功率: 21.6Wh 28.8Wh 36Wh

Weight 重量: 0.14kg 0.16kg 0.18kg



14.4V  
Li-ion  
Blue

### Model 型号: JY-ECAS-N9

Dimensions 尺寸: 71\*37\*37mm

Capacity 容量: 4.0Ah 5.2Ah

Power 功率: 57.6Wh 74.88Wh

Weight 重量: 0.38kg 0.41kg



14.4V  
Li-ion  
Green

### Model 型号: JY-ECAS-N75

Dimensions 尺寸: 74\*38\*38mm

Capacity 容量: 2.0Ah 2.6Ah

Power 功率: 28.8Wh 37.44Wh

Weight 重量: 0.18kg 0.21kg

## For Gardena Battery 嘉丁拿款



**20V**  
**Li-ion**  
**Black**

**Model 型号: JJY-GRA-5744768**

Dimensions 尺寸: 71\*66\*58mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 30Ah

Power 功率: 30Wh 40Wh 50Wh 60Wh

Weight 重量: 0.23kg 0.25kg 0.26kg 0.27kg



**18V**  
**Li-ion**  
**Silver**

**Model 型号: JJY-GRA-9839-20**

Dimensions 尺寸: 98\*95\*72mm

Capacity 容量: 1.5Ah 2.0Ah 2.5Ah 3.0Ah

Power 功率: 27Wh 36Wh 45Wh 54Wh

Weight 重量: 0.42kg 0.44kg 0.46kg 0.48kg

## For Snow Joe 雪乔款



**24V**  
**Li-ion**  
**White**

**Model 型号: JJY-SJOE-24VBAT**

Dimensions 尺寸: 134\*75\*78 mm

Capacity 容量: 3.0Ah 4.0Ah 5.0Ah 6.0Ah

Power 功率: 72Wh 96Wh 120Wh 144Wh

Weight 重量: 0.75kg 0.77kg 0.79kg 0.81kg

## Portable Working Lamp 便携式工作灯



**Model 型号: JJY-DML812-MT**

Dimensions 尺寸: 115\*105\*275mm

Luminance 亮度 Power 功率 Voltage 电压 Weight 重量

1200 Max 16.2W 14.4-20V 0.85kg

Compatible with Makita 18V battery  
与牧田18V电池兼容



**Model 型号: JJY-DML812-DW**

Dimensions 尺寸: 115\*105\*275mm

Luminance 亮度 Power 功率 Voltage 电压 Weight 重量

1200 Max 16.2W 14.4-20V 0.85kg

Compatible with Dewalt 18V/20V battery  
与牧田18V/20V电池兼容



**Model 型号: JJY-MPL18**

Dimensions 尺寸: 205\*160\*290mm

Luminance 亮度 Power 功率 Voltage 电压 Weight 重量

2800Max 18W DC 21V 1.22kg

Compatible with Dewalt, Makita, Ryobi, Black Decker, Poter Cable 18V or 20V battery.  
与 德伟 牧田 利优比 百得 卜派 18V 和20V 电池兼容

## Battery Charger 充电器



**18.0V**  
**1.5A**  
**Blue**

**Model 型号: JJY-MAK-HTPD1830**

Dimensions 尺寸: 75\*100\*44mm

In Put 输入 Power 功率 Type 类别 Weight 重量

5V 33W Li-ion 0.13kg



**18.0V**  
**1.5A**  
**Yellow**

**Model 型号: JJY-DW - PD204**

Dimensions 尺寸: 75\*100\*44mm

In Put 输入 Power 功率 Type 类别 Weight 重量

5V 33W Li-ion 0.13kg



**10.8V**  
**12.0V**  
**3.0A**  
**Red**

**Model 型号: JJY-MIL-N12**

Dimensions 尺寸: 167\*127\*73mm

In Put 输入 Power 功率 Type 类别 Weight 重量

90V-120V 46W Li-ion 0.46kg

200V-240V 46W Li-ion 0.46kg

# Battery Charger 充电器



10.8V  
12.0V  
3.0A  
Black

## Model 型号: JY-BOS-1130CHA

Dimensions 尺寸: 150\*113\*84mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-120V	46W	Li-ion	0.51kg
200V-240V	46W	Li-ion	0.51kg



14.4V  
18.0V  
3.0A  
Black

## Model 型号: JY-BOS-1830CHA

Dimensions 尺寸: 148\*109\*80mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-120V	75W	Li-ion	0.50kg
200V-240V	75W	Li-ion	0.50kg



18.0V  
20.0V  
Li-ion 3.0A  
Ni-CD/MH 2.0A  
Black

## Model 型号: JY-PTC-PCXMCV

Dimensions 尺寸: 157\*122\*68mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	75W	Li-ion	0.12kg
100V-240V	50W	N-MH&Ni-CD	0.12kg



20.0V  
4.0A  
Black

## Model 型号: JY-CRA-N16276

Dimensions 尺寸: 153\*120\*70mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	100W	Li-ion	0.48kg



19.2V  
2.0A  
2.7A  
Black

## Model 型号: JY-CRA-140152004

Dimensions 尺寸: 210\*150\*90mm

In Put 输入	Power 功率	Type 类别	Weight 重量
110V-240V	65W	Li-ion	0.71kg
110V-240V	50W	N-MH&Ni-CD	0.71kg



18V  
0.4A  
Black

## Model 型号: JY-WOX-WA3732

Dimensions 尺寸: 100\*64\*32mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	10W	Li-ion	0.15kg



18.0V  
2.0A  
Black

## Model 型号: JY-WOX-WA3875

Dimensions 尺寸: 230\*176\*76mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	50W	Li-ion	0.87kg



18.0V  
2.0A  
Black

## Model 型号: JY-AEG-R86091

Dimensions 尺寸: 170\*124\*75mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	50W	Li-ion	0.49kg



18.0V  
2.0A  
Black

## Model 型号: JY-AEG-AC840094

Dimensions 尺寸: 227\*177\*77mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	42W	Li-ion	0.80kg

# Battery Charger 充电器



12.0V

18.0V

1.5A

3.0A

Red



14.4V

18.0V

3.0A

Red



12.0V

20.0V

1.5A

3.0A

Black

## Model 型号: JY-MIL-N12N14N18

Dimensions 尺寸: 175\*150\*74mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	85W	Li-ion	0.58kg

## Model 型号: JY-MIL-N14N18

Dimensions 尺寸: 175\*150\*74mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	80W	Li-ion	0.54kg

## Model 型号: JY-DW-DCB105

Dimensions 尺寸: 173\*117\*87mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	40W	Li-ion	0.47kg



18.0V

20.0V

8.0A

Yellow



14.4V

18.0V

6.5A

Black



14.4V

18.0V

4.0A

Black

## Model 型号: JY-DW-DCB118

Dimensions 尺寸: 190\*118\*78mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-120V	176W	Li-ion	0.81kg
200V-240V	176W	Li-ion	0.81kg

## Model 型号: JY-MAK-MT7218

Dimensions 尺寸: 186\*154\*80mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	150W	Li-ion	0.76kg

## Model 型号: JY-MAK-CHAMT2042

Dimensions 尺寸: 220\*176\*83mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	100W	Li-ion	0.85kg



7.2V

18.0V

400mA

Black



7.2V

18.0V

1.5A

Black



9.6V

18.0V

Li-ion 3.0A

Ni-CD/Ni-MH 2.0A

Green

## Model 型号: JY-DW-LJHY08

Dimensions 尺寸: 64\*44\*65mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	10W	Ni-MH&Ni-CD	0.14kg

## Model 型号: JY-MAK-MT1804

Dimensions 尺寸: 190\*97\*80mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	32W	Ni-MH&Ni-CD	0.50kg

## Model 型号: JY-ROB-P117

Dimensions 尺寸: 220\*129\*67mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	85W	Li-ion	0.58kg
100V-240V	43W	Ni-MH&Ni-CD	0.58kg

# Battery Charger 充电器



12.0V  
18.0V  
400mA  
Green



12.0V  
18.0V  
2.0A  
Green



9.6V  
18.0V  
Li-ion 3.0A  
Ni-CD/MH 2.0A  
Green

## Model 型号: JJY-ROB-BLC14183H

Dimensions 尺寸: 95\*77\*82mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	10W	Li-ion	0.20kg
100V-240V	10W	Ni-MH&Ni-CD	0.20kg

## Model 型号: JJY-ROB-260051002

Dimensions 尺寸: 145\*104\*72mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	45W	Li-ion	0.20kg

## Model 型号: JJY-ROB-P117S

Dimensions 尺寸: 180\*105\*65mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	85W	Li-ion	0.48kg
100V-240V	50W	Ni-MH&Ni-CD	0.48kg



18.0V-20V  
40.0V-1.8A  
1.8A  
2.0A  
Green



36.0V  
40.0V  
1.8A  
Green



36.0V  
40.0V  
1.8A  
Green

## Model 型号: JJY-ROB-OP130S

Dimensions 尺寸: 265\*220\*65mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	165W	Li-ion	0.96kg
100V-240V	50W	Ni-MH&Ni-CD	0.96kg
100V-240V	72W	Li-ion	0.96kg

## Model 型号: JJY-ROB-OP401

Dimensions 尺寸: 149\*170\*60mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	72W	Li-ion	0.49kg

## Model 型号: JJY-ROB-OP401S

Dimensions 尺寸: 265\*220\*65mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	72W	Li-ion	0.96kg



26V  
2.2A  
Black



20V  
2.0A  
Black



9.6V  
18.0V  
400mA  
Black

## Model 型号: JJY-SJ-24VCHRG-QC

Dimensions 尺寸: 138\*100\*66mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	70W	Li-ion	0.24kg

## Model 型号: JJY-BD-LCS20M

Dimensions 尺寸: 161\*115\*66mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	50W	Li-ion	0.33kg

## Model 型号: JJY-BD-S018BBS2600040

Dimensions 尺寸: 58\*43\*25mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	10W	Ni-MH&Ni-CD	0.11kg

## Battery Charger 充电器



18.0V  
20.0V  
400mA  
Black

### Model 型号: JY-BD-LCS1620

Dimensions 尺寸: 58\*43\*25mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	10W	Li-ion	0.11kg



40V  
1.35A  
Black

### Model 型号: JY-BD-LCS40

Dimensions 尺寸: 153\*134\*104mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	70W	Li-ion	0.36kg



7.2V-18V  
14.4V  
1.5A  
Black

### Model 型号: JY-BOS-BH1218

Dimensions 尺寸: 150\*113\*84mm

In Put 输入	Power 功率	Type 类别	Weight 重量
100V-240V	40W	Ni-MH&Ni-CD	0.38kg

## Battery Adapter



Black

### Model : JY-ADP-BPS18M

Dimensions : 110\*70\*42mm

Function: Weight : 0.12kg

Black&Decker/Porter Cable/Stanly 20V Li-ion battery to Makita 18v Li-ion Tools



Black

### Model : JY-ADP-BPS18D

Dimensions : 109\*90\*90mm

Function: Weight : 0.12kg

Black&Decker/Porter Cable/Stanly 20V Li-ion battery to Dewalt 18v Ni-CD/Ni-MH Tools



Black

### Model : JY-ADP-BPS18GL

Dimensions : 110\*70\*91mm

Function: Weight : 0.12kg

Black&Decker/Porter Cable/Stanly 20V Li-ion battery to Craftsman 19.2v Li-ion & Ni-CD/Ni-MH Tools



Black

### Model : JY-ADP-BPS18RL

Dimensions : 110\*70\*80mm

Function: Weight : 0.12kg

Black&Decker/Porter Cable/Stanly 20V Li-ion battery to Ryobi 18v Li-ion & Ni-CD/Ni-MH Tools



Black

### Model : JY-ADP-BSP20PO

Dimensions : 110\*70\*51mm

Function: Weight : 0.12kg

Black&Decker/Porter Cable/Stanly 20V Li-ion battery to Porter Cable 18V Li-ion & Ni-CD/Ni-MH Tools



Black

### Model : JY-ADP-BPS18BSL

Dimensions : 112\*80\*51mm

Function: Weight : 0.12kg

Black&Decker/Porter Cable/Stanly 20V Li-ion battery to Bosch 18V Li-ion Tools

# Battery Adapter



Black

## Model : JY-ADP-DCA1820

Dimensions : 108\*87\*100mm

Function: Weight : 0.15kg

Dewalt 18V/20V Li-ion Battery  
to Dewalt 18V Ni-CD/Ni-MH Tools



Black

## Model : JY-ADP-DM18D

Dimensions : 109\*85\*89mm

Function: Weight : 0.12kg

Dewalt & Milwaukee 18V/20V Li-ion Battery  
to Dewalt 18V Ni-CD/Ni-MH Tools



Black

## Model : JY-ADP-DM18RL

Dimensions : 110\*70\*84mm

Function: Weight : 0.12kg

Dewalt & Milwaukee 18V/20V Li-ion Battery  
to Ryobi 18V Li-ion & Ni-CD/Ni-MH Tools



Black

## Model : JY-ADP-DM18M

Dimensions : 110\*70\*49mm

Function: Weight : 0.12kg

Dewalt & Milwaukee 18V/20V Li-ion Battery  
to Makita 18v Li-ion Tools



Black

## Model : JY-ADP-DM18GL

Dimensions : 110\*77\*93mm

Function: Weight : 0.13kg

Dewalt & Milwaukee 18V/20V Li-ion Battery  
to Craftsman 19.2v Li-ion & Ni-CD/Ni-MH Tools



Black

## Model : JY-ADP-DM18BSL

Dimensions : 112\*70\*52mm

Function: Weight : 0.11kg

Dewalt & Milwaukee 18V/20V Li-ion Battery  
to Bosch 18v Li-ion Tools



Black

## Model : JY-ADP-WA1820

Dimensions : 130\*86\*93mm

Function: Weight : 0.15kg

Worx 20V Li-ion Battery to Worx 18V  
Ni-CD/Ni-MH Tools



Black

## Model : JY-ADP-MT20MN

Dimensions : 110\*88\*94mm

Function: Weight : 0.13kg

Makita 18V Li-ion Battery to Makita 18V  
Ni-CD/Ni-MH Tools



Black

## Model : JY-ADP-MT20DL

Dimensions : 111\*71\*46mm

Function: Weight : 0.10kg

Makita 18V Li-ion Battery to Dewalt 18V/20V  
Li-ion Tools

# Battery Adapter



Black

## Model : JJY-ADP-MT20ML

Dimensions : 110\*70\*52mm

Function: Weight : 0.12kg

Makita 18V Li-ion Battery to Milwaukee 18V

Li-ion Tools



Black

## Model : JJY-ADP-MT20BSL

Dimensions : 112\*71\*50mm

Function: Weight : 0.12kg

Makita 18V Li-ion Battery to Bosch 18V

Li-ion Tools



Black

## Model : JJY-ADP-MT20RNL

Dimensions : 105\*80\*85mm

Function: Weight : 0.20kg

Makita 18V Li-ion Battery to Ryobi 18V

Li-ion & Ni-CD/Ni-MH Tools



Black

## Model : JJY-ADP-BS18ML

Dimensions : 111\*74\*48mm

Function: Weight : 0.11kg

Bosch 18V Li-ion Battery to Milwaukee

18V Li-ion Tools



Black

## Model : JJY-ADP-BS18MT

Dimensions : 111\*70\*42mm

Function: Weight : 0.10kg

Bosch 18V Li-ion Battery to Makita 18V

Li-ion Tools



Black

## Model : JJY-ADP-BS18DL

Dimensions : 111\*70\*41mm

Function: Weight : 0.10kg

Bosch 18V Li-ion Battery to Dewalt 18V/20V

Li-ion Tools



Red

## Model : JJY-ADP-CMCB002

Dimensions : 107\*62\*40mm

Function: Weight : 0.10kg

Craftsman 19.2v Li-ion & Ni-CD/Ni-MH Adapter



Black

## Model : JJY-ADP-DW18ML

Dimensions : 111\*70\*56mm

Function: Weight : 0.12kg

Dewalt 18V/20V Li-ion Battery to Milwaukee

18V Li-ion Tools



Gray

## Model : JJY-ADP-MT18DSV6

Dimensions : 110\*70\*100mm

Function: Weight : 0.12kg

Makita 18V Li-ion Battery to Dyson V6/DC62

# Battery Adapter



Gray

## Model : JJY-ADP-DM18DSV6

Dimensions : 110\*70\*100mm

Function: Weight : 0.12kg

Dewalt & Milwaukee 18V/20V Li-ion Battery  
to Dyson V6/DC62



Gray

## Model : JJY-ADP-DM18DSV7V8

Dimensions : 115\*70\*130mm

Function: Weight : 0.12kg

Dewalt & Milwaukee 18V/20V Li-ion Battery  
to Dyson V7/V8



Gray

## Model : JJY-ADP-MT18DSV7V8

Dimensions : 122\*70\*135mm

Function: Weight : 0.12kg

Makita 18V Li-ion Battery to Dyson V7/V8



Gray

## Model : JJY-ADP-GL18DSV6

Dimensions : 110\*70\*100mm

Function: Weight : 0.12kg

Craftsman 20V Li-ion Battery to Dyson V6/DC62



Gray

## Model : JJY-ADP-HIT18DSV6

Dimensions : 110\*70\*100mm

Function: Weight : 0.12kg

Hitachi 18V Li-ion Battery to Dyson V6/DC62



Gray

## Model : JJY-ADP-AR18DSV6

Dimensions : 110\*70\*100mm

Function: Weight : 0.12kg

AEG 18V Li-ion Battery to Dyson V6/DC62



Gray

## Model : JJY-ADP-DK18DSV6

Dimensions : 110\*70\*100mm

Function: Weight : 0.12kg

Dongke 18V Li-ion Battery to Dyson V6/DC62



Black

## Model : JJY-ADP-MT18BSB

Dimensions : 110\*70\*47 mm

Function: Weight : 0.15kg

Makita 18V Li-ion Battery  
to Bosch 18V Li-ion Tools



Black

## Model : JJY-ADP-BS18BSB

Dimensions : 110\*70\*47 mm

Function: Weight : 0.15kg

Bosch 18V Li-ion Battery  
to Bosch 18V Li-ion Tools EU



R&D Team




PCB Processing Workshop



Lifetime Test Equipment




Automatic Match Group Machine



Automatic Welding Machine



Automatic Soldering Machine



Customize PCB with Protection



Structure and Hardware Design



Develop Mold for Plastic & Metal Spare Parts

## 专业物流 服务周到

Professional Logistics / Good Service

**安全 / 速度 / 服务 / 团队 / 细心**

Security / Speed / Service / Team / Careful

+86-17727984613



+86-13530804606

+86-13902872174



<http://www.jjy-battery.com>

<http://jjy888.en.alibaba.com>



[info@jjybattery.com](mailto:info@jjybattery.com)



201 Building B, No.2, and 301&201, No. 4,  
Tengfeng 1st Road, Fenghuang Subdistrict,  
Bao'an District, Shenzhen, China 518103

深圳市宝安区福永街道凤凰社区腾丰一路4号301和201及2号B栋201



Alibaba QR Code



1688 QR Code